Interference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	816	(187/266,404).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/17 19:12
L2	1806	(187/251,264,266,406,404).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/17 19:16
L3	515	L2 and (tens$6 load$1carry$3 load$1bear$3 support$3 load $1support$3 lift$3 hoist$3 elevat$3) near4 (member carrier cable flat belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/17 19:17
L4	6	("3066761").URPN.	USPAT	OR	ON	2008/12/17 19:45
L5	6	("12640").URPN.	USPAT	OR	ON	2008/12/17 19:53
L6	0	("361263").URPN.	USPAT	OR	ON	2008/12/17 19:58
L7	0	("495114").URPN.	USPAT	OR	ON	2008/12/17 20:01
L8	12	L2 and (tens$6 load$1carry$3 load$1bear$3 support$3 load $1support$3 lift$3 hoist$3 elevat$3) near4 (means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:31
L9	3	8 not (3 4 5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:32
L10	0	(elevator and (driv$3 tract$2 machine) adj (pulley sheave wheel friction$2 roll$3 rotat$4) and (tens$6 load$1carry$3 load $1bear$3 support$3 load$1support$3 lift$3 hoist$3 elevat$3) near4 (member means carrier cable flat belt) and (rib$4 groov $3) near6 (wedge$1 wedge$7 trapez$5) and area near8 (cross $1section$2 section$2 cut$1away cut) and (one$1fourth fourth "25%" percent$3)) and (pulley sheave wheel friction$2 rotat$4 roll$3) near4 (groov$3) and (car$1 cage basket carriage) near8 ((support$3 suspen$4 hoist$3 divert$3 guid$3 deflect$3) adj (pulley roll$3 wheel rotat$4)).clm.	US-PGPUB	OR	ON	2008/12/17 20:45
L11	0	(elevator and (driv$3 tract$2 machine) adj (pulley sheave wheel friction$2 roll$3 rotat$4) and (tens$6 load$1carry$3 load $1bear$3 support$3 load$1support$3 lift$3 hoist$3 elevat$3) near4 (member means carrier cable flat belt) and (rib$4 groov $3) near6 (wedge$1 wedge$7 trapez$5) and (one$1fourth fourth "25%" percent$3)) and (pulley sheave wheel friction$2 rotat$4 roll$3) near4 (groov$3) and (car$1 cage basket carriage) near8 ((support$3 suspen$4 hoist$3 divert$3 guid$3 deflect$3) adj (pulley roll$3 wheel rotat$4))).clm.	US-PGPUB	OR	ON	2008/12/17 20:47
L12	0	(elevator and (driv$3 tract$2 machine) adj (pulley sheave wheel friction$2 roll$3 rotat$4) and (tens$6 load$1carry$3 load $1bear$3 support$3 load$1support$3 lift$3 hoist$3 elevat$3) near4 (member means carrier cable flat belt) and (rib$4 groov $3) near6 (wedge$1 wedge$7 trapez$5) and (spac$3 distance separat$3 clear$4) near8 (("%" "20%" percent$3) and (tens$6 load$1carry$3 load$1bear$3 support$3 load$1support$3 lift$3 hoist$ elevat$3)).clm.	US-PGPUB	OR	ON	2008/12/17 20:50
L13	0	((tens$6 load$1carry$3 load$1bear$3 support$3 load$1support $3 lift$3 hoist$ elevat$3)) near4 (member means carrier cable flat belt) and (rib$4 groov$3) near6 (wedge$1 wedge$7 trapez $5) and (spac$3 distance separat$3 clear$4) near8 (("%" "20%" percent$3) and (tens$6 load$1carry$3 load$1bear$3 support$3 load$1support$3 lift$3 hoist$ elevat$3))).clm.	US-PGPUB	OR	ON	2008/12/17 20:50

S1	18	(('2221984') or ('6033331') or ('4904232') or ('3,558,390') or ('20010044354') or ('6,138,799') or ('3,068,710') or ('20040262087') or ('6,033,331') or ('4,773,895') or ('5,230,668') or ('5,624,338') or ('5,704,862') or ('6,177,202') or ('6,361,462') or ('6,419,605') or ('4,981,462') or ('4,330,287') or ('3,662,596')).PN.	US-PGPUB; USPAT	OR	OFF	2007/12/16 01:07
S2	1	WO-2003043922-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:36
S3	0	WO-2000037738-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:36
S4	1	WO-200037738-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:38
S5	0	WO-98029327-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:37
S6	2	WO-9829327-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:39
S7	2	WO-9829326-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:39
S8	20	('2470810' | '2505216' | '2621529' | '4701377' | '4822324' | '5856004').PN. OR ('6033331').URPN.	US-PGPUB; USPAT; USOCR	OR		2007/12/10 09:53
S9	27	(('6,893,719') or ('6,595,883') or ('5,076,398') or ('5,361,873') or ('5191920') or ('3,174,585') or ('20030121729') or ('2,728,239') or ('3,643,518') or ('6,345,695') or ('5,429,211')).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/10 10:34
S10	15	S9 not "18"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 10:36
S11	2332	((187/251,254,266) or (254/265,312) or (156/137,138,139) or (474/252,270)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/13 23:10
S12	2127	S11 and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/13 23:24
S13	210	S12 and ((flatS1 wedg$3 ribS3 groov$4) adj (shap$3 formS3 constructS3) (flatS1 wedg$3 ribS3 groov$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:07
S14	2	('6068087').PN. OR ('6488123').URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/10 11:03
S15	11	(('20030121729') or ('5435417') or ('5,212,982') or ('5,351,530') or ('20040026117') or ('20040216959')).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/10 11:05
S16	700	187/414.ccls. and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:08
S17	8	S16 and ((flatS1 wedg$3 ribS3 groov$4) adj (shap$3 formS3 constructS3) (flatS1 wedg$3 ribS3 groov$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:09

S18	15696	(B66B011/$3.ipc B66B009/$3.ipc. B66B007/$3.ipc.) and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:09
S19	521	(S16 S12 S18) and ((flat$1 wedg$3 rib$3 groov$4) (shap$3 form$3 construct$3) (flat$5 wedg$3 rib$3 groov$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:17
S20	303	S19 not (S1 S2 S4 S6 S7 S8 S10 S13 S14 S15 S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:18
S21	3	S20 and ((tens$6 load$1carry$3 load$1bear $3 load$1support $3) adj (member carrier)) near6 (rib$4 groov$3 wedge$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:09
S22	4	S20 and ((tens$6 load$1carry$3 load$1bear$3 load$1support $3) adj (member carrier)) near6 ((length longitudinal$2 ax$1s) and (belt cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:24
S23	6	S22 S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:24
S24	4	(("4,047,446") or ("5,055,090") or ("5,308,291") or ("5,803,855")).PN.	USPAT	OR	OFF	2007/12/13 20:06
S25	1	WO-2003043926-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/13 20:07
S26	16	("3564933" | "3853017" | "3981206" | "3996813" | "4011766" | "4449959" | "4551120" | "5387160" | "5427728" | "5645504" | "5714024" | "5843258" | "5858147" | "5938552" | "6103349"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/13 22:44
S27	20	("2470810" | "2505216" | "2621529" | "4701377" | "4822324" | "5856004").PN. OR ("6033331").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/13 22:56
S28	5	(("3874158") or ("4120145") or ("3824777") or ("4344278") or ("4606183")).PN.	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:57
S29	5859	((187/251,254,266) or (254/265,312) or (156/137,138,139) or (474/252,270,247) or (428/378,379394,395)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/13 23:24
S30	5429	S29 and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/13 23:27
S31	190	S30 and (belt cable rop$3) with (strand rop$3 wir$3) near8 ((fiber filament wir$3) and ("5"$1 "6"$1 "7"$1 "8"$1 "9"$1 "1"$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:11
S32	54	S31 and (steel metal$3) near2 (fiber filament wir$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:24
S33	7	("3736805").URPN.	USPAT	OR	ON	2007/12/14 00:08
S34	58	S30 and (c$1 ord) with (strand rop$3 wir$3) near8 ((fiber filament wir$3) and ("5"$1 "6"$1 "7"$1 "8"$1 "9"$1 "1"$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:16
S35	49	S34 not (S32 S33)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:16

S36	61	S31 and (steel metal$3) near4 (fiber filament wir$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:27
S37	7	S36 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:25
S38	3	S31 and (ferr$3) near4 (fiber filament wir$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:27
S39	2	WO-2005066060-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:33
S40	2	JP-09021084-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:42
S41	35876	"474".clas. and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:07
S42	166	S41 and (c$1ord strand rop$3 wir$3 (tens$6 load$1carry$3 load $1bear$3 load$1support$3) adj (member carrier)) near10 ((length longitudinal$2 ax$1s) and (rib$4 groov$3 wedge$7) and (belt cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:24
S43	116	S42 and (belt cable rop$3 c$1ord) with ((area circumference portion each total$4) and (c$1ord strand rop$3 wir$3 (tens$6 load$1carry$3 load$1bear$3 load$1support$3) adj (member carrier)) and (cross$1section$2 section$2 plan$2 cut$1away cut $1out cross$1cut cross$1view) and (percent$3 "%" nearly half less more))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:36
S44	20	S43 and (strand rop$3 wir$3 c$1ord) near8 ((fiber filament wir $3) and (metal$3 steel ferr$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:37
S45	11	S43 and (belt) near8 ((fiber filament wir$3) and (metal$3 steel ferr$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S46	8	S43 and (cable) near8 ((fiber filament wir$3) and (metal$3 steel ferr$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S47	2	S43 and (carrier) near8 (fiber filament wir$3) and (metal$3 steel ferr$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S48	26	S44 S45 S46 S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S49	3	("2526324").URPN.	USPAT	OR	ON	2007/12/16 01:49
S50	89	S43 not (S48 S49)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:49
S51	5	("4710155" | "5230666" | "5776026" | "5792018" | "6177202"). PN. OR ("6419605").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/16 02:39
S52	2368	((187/251,254,266) or (254/265,312) or (156/137,138,139) or (474/252,270)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/08 13:15

S53	477	(S52 187/414.ccls.) and (((flat$1 wedg$3 rib$3 groov$4) adj (shap$3 formS3 constructS3) (flat$1 wedg$3 rib$3 groov$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:15
S54	26	("1324804" | "2471969" | "2592581" | "2728239" | "2894405" | "3140620" | "3151491" | "3404577" | "3603296" | "3643518" | "3951006" | "4004466" | "4015484" | "4028955" | "4031761" | "4047445").PN. OR ("4781664").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/08 13:28
S55	28	("0027846" | "0235018" | "1777864" | "2067400" | "2728239" | "3643518" | "3987683" | "4047446").PN. OR ("4330287"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/08 13:31
S56	17	("2728239" | "3138962" | "3200180" | "3643518" | "3951006" | "4047446" | "4264314" | "4330287" | "4525158" | "4647278" | "4773895" | "4900295").PN. OR ("4981462").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/08 13:31
S57	17	S52 and ((tens$6 load$1carry$3 load$1bear$3 load$1support $3) adj (member carrier rop$3 strand cable wire)) near10 ((rib $4 groov$3 wedge$7) and (spac$3 distanc$3 dimension$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:36
S58	47	S52 and ((tens$6 load$1carry$3 load$1bear$3 load$1support $3) near4 (member carrier rop$3 strand cable wire)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:39
S59	30	S58 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:39
S60	17	S52 and ((tens$6 load$1carry$3 load$1bear$3 load$1support $3) near4 (longitudinal$2)) near6 (spac$3 distanc$3 dimension $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:45
S61	10	S60 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:45
S62	0	187/414.ccls. and ((tens$6 load$1carry$3 load$1bear$3 load $1support$3) near4 (longitudinal$2)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:47
S63	1850	(474/237,260,261,262,263,265,252,270,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/08 18:43
S64	74	S63 and ((tens$6 load$1carry$3 load$1bear$3 load$1support $3) near4 (member carrier rop$3 strand cable wire longitudinal $2)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 18:43
S65	87	S63 and ((tens$6 load$1carry$3 load$1bear$3 load$1support $3) near6 (member carrier rop$3 strand cable wire longitudinal $2)) near8 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 18:43
S66	0	11/585563	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 21:37
S67	1	10/585563	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 21:37
S68	0	187/251.clas. and (wedge$6 flat groov$3 rib$3 tooth$3) near2 (belt cable suspen$4 hoist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:41
S69	0	187/266.clas. and (wedge$6 flat groov$3 rib$3 tooth$3) near2 (belt cable suspen$4 hoist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:42

S70	0	187/251,264,266,406,404.clas. and (wedge$6 flat groov$3 rib $4 tooth$3) near4 (belt cable suspen$4 hoist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:42
S71	0	187/251,264,266,406,404.clas. and (wedge$6 flat groov$3 rib $4 tooth$3) near6 (belt cable suspen$4 hoist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:43
S72	0	187/251,264,266,406,404.clss. and (wedge$6 flat groov$3 rib $4 tooth$3) near4 (belt cable suspen$4 hoist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:43
S73	1798	(187/251,264,266,406,404).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/08 22:44
S74	134	S73 and (wedge$6 flat groov$3 rib$4 tooth$3) near4 (belt cable suspen$4 hoist$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:44

12/17/2008 10:08:45 PM
C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Lift System - 10585563.wsp

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	257	(57/236).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/18 12:00
L2	1852	(474/237,260,261,262,263,265,252,270,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/18 13:28
L3	0	L2 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (chord)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:28
L4	54	L2 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (cord)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:28
L5	10089	(B66B011/$3.ipc B66B009/$3.ipc. B66B007/$3.ipc.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:29
L6	1	5 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (cord)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:29
L7	29	5 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (member carrier rop$3 strand cable wire longitudinal$2)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:29
L8	84	4 6 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:30
L9	74	2 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (member carrier rop$3 strand cable wire longitudinal$2)) near6 (spac$3 distanc$3 dimension$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:44
L10	51	9 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:45
L11	9	("1192362" | "3545293" | "3574022").PN. OR ("4351432").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 13:48
L12	42	5 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (cord member carrier rop$3 strand cable wire longitudinal $2)) near6 (length mm millimeter inch "in.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 14:22
L13	84	2 and ((tens$6 load$1carry$3 load$1bear$3 load$1support$3) near4 (cord member carrier rop$3 strand cable wire longitudinal $2)) near6 (length mm millimeter inch "in.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 14:22

| L14 | 79 | (12 13) not (8 10 11) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/18 14:23 |

12/18/2008 2:28:14 PM
C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Lift System - 10585563.wsp